DAFTAR PUSTAKA

Ahsan SM, Injamum-Ul-Hoque Md, Das AK, Rahman MM, Mollah MMI, Paul NC, Choi HW. 2024. Plant–entomopathogenic fungi interaction: Recent progress and future prospects on endophytism-mediated growth promotion and biocontrol. *Plants*. 13(10):1420. doi:10.3390/plants13101420.

Akram S, Ahmed A, He P, He P, Liu Y, Wu Y, Munir S, He Y. 2023. Uniting the role of endophytic fungi against plant pathogens and their interaction. *Journal of Fungi*. 9(1):72. doi:10.3390/jof9010072.

Ali M, Amimartha FA, Puspita F. 2023. Uji antagonisme isolat jamur endofit tanaman pinang terhadap Ganoderma boninense pat. penyebab penyakit busuk pangkal batang kelapa sawit. *Jurnal Agrohita*. 8(1). [https://doi.org/https://doi.org/10.31604/jap.v8i1.7982] (https://www.google.com/search?q=https://doi.org/https://doi.org/10.31604/jap.v8i1.7982).

Ali M, Samosir IY. 2022. Uji antagonisme jamur endofit tanaman aren (Arenga pinnata Merr.) terhadap Ganoderma boninense pat. penyebab penyakit busuk pangkal batang kelapa sawit. *Agrikultura*. 32(3):304–311. doi:10.24198/agrikultura.v32i3.36611.

AlSharari SS, Galal FH, Seufi AM. 2022. Composition and diversity of the culturable endophytic community of six stress-tolerant dessert plants grown in stressful soil in a hot dry desert region. *Journal of Fungi*. 8(3):241. doi:10.3390/jof8030241.

Alva AK, Huang B, Paramasivam S, Sajwan KS. 2002. Evaluation of root growth limiting factors in spodic horizons of spodosols. *Journal of Plant Nutrition*. 25(9):2001–2014. doi:10.1081/PLN-120013290.

Amaria W, Taufiq E, Harni R. 2013. Seleksi dan identifikasi jamur antagonis sebagai agens hayati jamur akar putih Rigidoporus microporus pada tanaman karet. *Buletin RISTRI*. 4(1):55–64.

Andrew MA, George OT, Afutu E. 2018. Comparative growth of three Paecilomyces species on natural media and the possible pathological effects of their cultural metabolites on seed germination and radicle development of six economic crops in Ghana. *GSC Biological and Pharmaceutical Sciences*. 4(1):008–018. doi:10.30574/gscbps.2018.4.1.0033.

Andriyanto M, Triyoyani A, Sulastri YS, Dalimunthe CI, No S. 2024. Eksplorasi cendawan dark septate endophyte asal pertanaman karet (*Hevea brasiliensis*) wilayah Sumatra Utara, editor. Prosiding Seminar Nasional Lahan Suboptimal ke-12 Tahun 2024. Kongres dan Seminar Nasional; 2024 Okt 21; Palembang, Indonesia. Palembang: hlm 313–322.

Arimbawa IB, Saidy AR, Razie F, Purnomo J, Hermantoro, Suparyanto T, Pardamean B. 2024. Differences in characteristic of Spodosols, Inceptisols, and Ultisols towards oil palm productivity. *Communications in Mathematical Biology and Neuroscience*. 2024(78):1–19. doi:10.28919/cmbn/8678.

Ariyani A, Sukarno N, Listiyowati S. 2019. Potensi cendawan asal Hydrilla verticillata sebagai pengendali hayati Fusarium oxysporum dan Ganoderma boninense. *Jurnal Sumberdaya Hayati*. 5(2):43–51. doi:10.29244/jsdh.5.2.43-51.

Asante-Owusu RN, Banham AH, Böhnert HU, Mellor EJC, Casselton LA. 1996. Heterodimerization between two classes of homeodomain proteins in the mushroom Coprinus cinereus brings together potential DNA-binding and activation domains. *Gene*. 172(1):25–31. doi:10.1016/0378-1119(96)00177-1.

Baranger C, Fayeulle A, Le Goff A. 2020. Microfluidic monitoring of the growth of individual hyphae in confined environments. *Royal Society Open Science*. 7(8):191535. doi:10.1098/rsos.191535.

Baron NC, Rigobelo EC. 2022. Endophytic fungi: A tool for plant growth promotion and sustainable agriculture. Mycology. 13(1):39–55. doi:10.1080/21501203.2021.1945699.

Basińska-Barczak A, Błaszczyk L, Szentner K. 2020. Plant cell wall changes in common wheat roots as a result of their interaction with beneficial fungi of Trichoderma. *Cells*. 9(10):2319. doi:10.3390/cells9102319.

Becker E, Rajakulendran N, Shamoun SF. 2025. Biocontrol potential of Trichoderma spp. against Phytophthora ramorum. *Pathogens*. 14(2):1–14. doi:10.3390/pathogens14020136.

Berthelot C, Leyval C, Chalot M, Blaudez D. 2019. Interactions between dark septate endophytes, ectomycorrhizal fungi and root pathogens in vitro. *FEMS Microbiology Letters*. 366(13):fnz158. doi:10.1093/femsle/fnz158.

Bharudin I, Ab Wahab AFF, Abd Samad MA, Xin Yie N, Zairun MA, Abu Bakar FD, Abdul Murad AM. 2022. Review update on the life cycle, plant–microbe interaction, genomics, detection and control strategies of the oil palm pathogen Ganoderma boninense. *Biology*. 11(2):251. doi:10.3390/biology11020251.

Bryk M. 2016. Macrostructure of diagnostic B horizons relative to underlying BC and C horizons in podzols, luvisol, cambisol, and arenosol evaluated by image analysis. *Geoderma*. 263:86–103. doi:10.1016/j.geoderma.2015.09.014.

Cahyo A . 2021. Peranan dark septate endophyte dalam budidaya tanaman. *Jurnal Galung Tropika*. 10(2):274–282. doi:10.31850/jgt.v10i2.785.

Casselton LA, Olesnicky NS. 1998. Molecular genetics of mating recognition in basidiomycete fungi. *Microbiology and Molecular Biology Reviews*. 62(1):55–70. doi:10.1128/MMBR.62.1.55-70.1998.

Chen J, Akutse KS, Saqib HSA, Wu X, Yang F, Xia X, Wang L, Goettel MS, You M, Gurr GM. 2020. Fungal endophyte communities of crucifer crops are seasonally dynamic and structured by plant identity, plant tissue and environmental factors. *Frontiers in Microbiology*. 11:1519. doi:10.3389/fmicb.2020.01519.

Chen X, Wang J, Tang L, Zeng Z, Gao D, Yi Y, Qin L, Xiao Y, Yang H, Yang B. 2026. From traditional to omics-driven: Emerging strategies for isolation, cultivation, and identification of plant endophytes. *Plants*. 15(14):2118. doi:10.3390/plants15142118.

Coleman JJ. 2016. The Fusarium solani species complex: Ubiquitous pathogens of agricultural importance. *Molecular Plant Pathology*. 17(2):146–158. doi:10.1111/mpp.12289.

Comby M, Gacoin M, Robineau M, Rabenoelina F, Ptas S, Dupont J, Profizi C, Baillieul F. 2017. Screening of wheat endophytes as biological control

agents against Fusarium head blight using two different in vitro tests. *Microbiological Research*. 202:11–20. doi:10.1016/j.micres.2017.04.014.
Constantin M, Raut I, Gurban A-M, Doni M, Radu N, Alexandrescu E, Jecu L. 2022. Exploring the potential applications of Paecilomyceslilacinus 112. *Applied Sciences*. 12(15):7572. doi:10.3390/app12157572.
Constantin ME, Fokkens L, De Sain M, Takken FLW, Rep M. 2021. Number of candidate effector genes in accessory genomes differentiates pathogenic from endophytic Fusarium oxysporum strains. *Frontiers in Plant Science*. 12:761740. doi:10.3389/fpls.2021.761740.
Cortés Hernández FDC, Alvarado Castillo G, Sanchez Viveros G. 2023. Trichoderma spp., una alternativa para la agricultura sostenible: una revisión. *Revista Colombiana de Biotecnología*. 25(2):62–76. doi:10.15446/rev.colomb.biote.v25n2.111384.
Crișan I. 2021. Frequency of dark septate endophytes colonization in Iris germanica L. Bulletin of University of Agricultural Sciences and Veterinary Medicine Cluj-Napoca. *Agriculture*. 78(1):42–47. doi:10.15835/buasvmcn-agr:2020.0045.
Dalimunthe CI, Surono, Soekarno BPW, Al-Ani LKT, Munif A, Sriherwanto C, Nurdebyandaru N . 2023. First report of inhibitory abilities of dark septate endophytic fungi against white root rot disease on Hevea brasiliensis seedlings in nursery conditions. *Egyptian Journal of Biological Pest Control*. 33(1):1–12. doi:10.1186/s41938-023-00725-9.
Dalimunthe CI. 2023. Pertama kali dilaporkan kemampuan inhibisi fungi dark septate endophyte terhadap penyakit akar putih pada bibit Hevea brasiliensis di pembibitan.
Darlis D, Jalloh MB, Chin CFS, Basri NKM, Besar NA, Ahmad K, Rakib M. 2023. Exploring the potential of bornean polypore fungi as biological control agents against pathogenic Ganoderma boninense causing basal stem rot in oil palm. *Scientific Reports*. 13(1):1–10. doi:10.1038/s41598-023-37507-0.
De La Peña M, Ruiz-Romero R, Castro-Arza LI, Romero HM. 2024. Changes in the root architecture of oil palm seedlings in response to nitrogen starvation. *Agronomy*. 14(3):409. doi:10.3390/agronomy14030409.
Dixon E, Leonberger K, Szarka D, Amsden B, Smith H, Krause M, Gauthier N. 2022. Prescreening of biological and biorational fungicides against common hemp pathogens using in vitro analyses. *Plant Health Progress*. 23(3):250–255. doi:10.1094/PHP-12-21-0143-SC.
Druzhinina IS, Chenthamara K, Zhang J, Atanasova L, Yang D, Miao Y, Rahimi MJ, Grujic M, Cai F, Pourmehdi S, Salim KA, Pretzer C, Kopchinskiy AG, Henrissat B, Kuo A, Hundley H, Wang M, Aerts A, Salamov A, Kubicek CP. 2018. Massive lateral transfer of genes encoding plant cell wall-degrading enzymes to the mycoparasitic fungus Trichoderma from its plant-associated hosts. *PLOS Genetics*. 14(4):1–33. doi:10.1371/journal.pgen.1007322.
Dwivedi S, Rai A, Singh AK, Srivastava M, Singh AP. 2023. Isolation of fungal endophytes at diferent ph from two wild plants of Mirzapur district(u.p.) India. *Flora and Fauna*. 29(2):263–268. doi:10.33451/florafauna.v29i2pp263-268.
Ekwomadu TI, Mwanza M. 2023. Fusarium fungi pathogens, identification, adverse effects, disease management, and global food security: a review of

the latest research. *Agriculture*. 13(9):1–20. doi:10.3390/agriculture13091810.
El-Dawy EGAM, Gherbawy YA, Ioan P, Hussein MA. 2025. Identification of Trichoderma spp., their biomanagement against Fusarium proliferatum, and growth promotion of Zea mays. *Journal of Fungi*. 11(9):1–21. doi:10.3390/jof11090683.
Feng X, Jin Y, Zhong Z, Zheng Y, Wu H. 2025. Growth-promoting effects of dark septate endophytes fungus Acrocalymma on tomato (Solanum lycopersicum). *Journal of Fungi*. 11(7):1–17. doi:10.3390/jof11070510.
Firdani C, Lisnawita, Siregar LAM. 2024. Potensi dark septate endophyte isolat Sumatera Utara terhadap Ganoderma boninense penyebab busuk pangkal batang kelapa sawit: potential of dark septate endophytes North Sumatra isolates against Ganoderma boninense the pathogen of basal stem rot of oil palm. *Jurnal Fitopatologi Indonesia*. 20(3):154–164. doi:10.14692/jfi.20.3.154-164.
Firdani C. 2024. Potensi dark septate endophyte isolat Sumatera Utara terhadap Ganoderma boninense penyebab busuk pangkal batang kelapa sawit: Potential of dark septate endophytes North Sumatra isolates against Ganoderma boninense the pathogen of basal stem rot of oil palm.
Flood J, Bridge PD, Pilotti CA. 2022. Basal stem rot of oil palm revisited. *Annals of Applied Biology*. 181(2):160–181. doi:10.1111/aab.12772.
Fontana DC, De Paula S, Torres AG, De Souza VHM, Pascholati SF, Schmidt D, Dourado Neto D. 2021. Endophytic fungi: Biological control and induced resistance to phytopathogens and abiotic stresses. *Pathogens*. 10(5):1–28. doi:10.3390/pathogens10050570.
Fors RO, Patreze CM, Louro Berbara RL, Carbone Carneiro MA, Saggin-Júnior OJ. 2020. Dark septate endophytic fungi associated with sugarcane plants cultivated in São Paulo, Brazil. *Diversity*. 12(9):351. doi:10.3390/d12090351.
Gabungan Pengusaha Kelapa Sawit Indonesia (GAPKI). 2025. Tanaman minyak nabati paling efisien untuk mencegah erosi dan menjaga kelestarian lahan. *GAPKI*. 18 Desember 2025.
Gavíra MA, Diánez F, Sánchez-Montesinos B, Santos M. 2021. Biocontrol effects of Paecilomyces variotii against fungal plant diseases. *Journal of Fungi*. 7(6):415. doi:10.3390/jof7060415.
Gavíra MA, Huertas V, Diánez F, Sánchez-Montesinos B, Santos M. 2020. Paecilomyces and its importance in the biological control of agricultural pests and diseases. *Plants*. 9(12):1746. doi:10.3390/plants9121746.
Ghosal D, Datta B. 2024. Characterization, phylogenetic analysis and toxigenic potential of Fusarium incarnatum-equiseti species complex isolates associated with root rot disease in vegetables. *Journal of Phytopathology*. 172(4):e13362. doi:10.1111/jph.13362.
Hafizi R, Salleh B, Latiffah Z. 2013. Morphological and molecular characterization of Fusarium. solani and f. oxysporum associated with crown disease of oil palm. Brazilian *Journal of Microbiology*. 44(3):959–968. doi:10.1590/S1517-83822013000300047.

Hanif A, Zamriyetti. 2023. Karakterisasi morfologi cendawan penyebab penyakit busuk pangkal batang pada bawang merah (Allium cepa). *AGRIUM: Jurnal Ilmu Pertanian*. 26(1):76–82. doi:10.30596/agrium.v26i1.13430.

Haqqa ZA, Rupaedah B, Handayani I, Wahid A, Sugianto M. 2023. Screening and characterization of soil fungal isolates to inhibit the growth of Ganoderma boninense. *Jurnal Bioteknologi & Biosains Indonesia*. 10(1):59–67. [https://doi.org/https://doi.org/10.55981/jbbi.2023.1747](https://www.google.com/search?q=https://doi.org/https://doi.org/10.55981/jbbi.2023.1747).

Harefa K, Silitonga EM, Manurung K. 2019. Menghitung koloni ekstrak etanol teh celup daun gambir (Uncaria gambir ROXB) pada air hangat dan air mendidih terhadap media pda dan pca. *Jurnal Teknologi, Kesehatan dan Ilmu Sosial*. 1(1):154–159.

Harsonowati W, Marian M, Surono, Narisawa K. 2020. The effectiveness of a dark septate endophytic fungus, Cladophialophora chaetospira SK51, to mitigate strawberry fusarium wilt disease and with growth promotion activities. *Frontiers in Microbiology*. 11(585):1–11. doi:10.3389/fmicb.2020.00585.

Haryadi D, Sidhu MS, Panjaitan T, Hendra H, Chong KP. 2019. The potential of endophytic Trichoderma from oil palm (Elaeis guineensis Jacq.) roots of North Sumatra, Indonesia against Ganoderma boninense. *Journal of Oil Palm Research*. :1–12. doi:10.21894/jopr.2019.0049.

Hawar SN, Taha ZK, Hamied AS, Al-Shmgani HS, Sulaiman GM, Elsilk SE. 2023. Antifungal activity of bioactive compounds produced by the endophytic fungus Paecilomyces sp. (jn227071.1) against Rhizoctonia solani. *International Journal of Biomaterials*. :1–8. doi:10.1155/2023/2411555.

Hedfi LH, Rhouma A, Wannassi T, Utkina AO, Rebouh NY. 2025. Biocontrol assessment of Trichoderma species on tomato crops infested by Curvularia Spicifera: toward sustainable farming systems. *Frontiers in Sustainable Food Systems*. 9:1627903. doi:10.3389/fsufs.2025.1627903.

Heidarian R, Fotouhifar K-B, Debets AJM, Aanen DK. 2018. Phylogeny of Paecilomyces, the causal agent of pistachio and some other trees dieback disease in Iran. *PLOS ONE*. 13(7):e0200794. doi:10.1371/journal.pone.0200794.

Hewedy OA, Abdel Lateif KS, Seleiman MF, Shami A, Albarakaty FM, M El-Meihy R. 2020. Phylogenetic diversity of Trichoderma strains and their antagonistic potential against soil-borne pathogens under stress conditions. *Biology*. 9(8):1–20. doi:10.3390/biology9080189.

Ho L, Lai C, Daim LDJ, Noh NM, Yap Y, Ibrahim J, Teh C. 2024. Deciphering root-associated microbial communities in asymptomatic oil palm seedlings exposed to Ganoderma boninense: New insight into disease tolerance of oil palms. *FEMS Microbiology* Ecology. 100(10):1–15. doi:10.1093/femsec/fiae122.

Ho L, Lai C, Daim LDJ, Noh NM, Yap Y, Ibrahim J, Teh C. 2024. Deciphering root-associated microbial communities in asymptomatic oil palm seedlings exposed to *Ganoderma boninense*: New insight into disease tolerance of oil palms. *FEMS Microbiology Ecology*. 100(10):fiae122. doi:10.1093/femsec/fiae122.

Hou L, Yu J, Zhao L, He X. 2020. Dark septate endophytes improve the growth and the tolerance of Medicago sativa and Ammopiptanthus mongolicus under

cadmium stress. *Frontiers in Microbiology*. 10:3061. doi:10.3389/fmicb.2019.03061.

Hushiarian R, Yusof NA, Dutse SW. 2013. Detection and control of Ganoderma boninense: Strategies and perspectives. *SpringerPlus*. 2(1):1–12. doi:10.1186/2193-1801-2-555.

Hutagaol P, Wirianata H, Kristalisasi EN. 2024. Perkembangan penyakit busuk batang pada kelapa sawit pasca peremajaan tanaman. *Jurnal Agro Industri Perkebunan*. 12(1):41–50.

Hutomo PP, Abadi AL, Syib'li MA. 2024. Antagonistic effectiveness of Trichoderma asperellum and Trichoderma virens filtrates against Ganoderma boninense and metabolite characterization using FTIR. *Research Journal of Life Science*. 12(1):1–11. [https://doi.org/https://doi.org/10.21776/ub.rjls.2025.012.01.1].

Intara YI, Nusantara AD, Supanjani. 2018. Oil palm roots architecture in response to soil humidity. *International Journal of Oil Palm*. 1(2):79–89.

Irawati AFC, Mutaqin KH, Suhartono MT, Sastro Y, Sulastri N, Widodo N. 2017. Eksplorasi dan pengaruh cendawan endofit yang berasal dari akar tanaman cabai terhadap pertumbuhan benih cabai merah. *Jurnal Hortikultura*. 27(1):105–112. doi:10.21082/jhort.v27n1.2017.p105-112.

Islam R, Datta B. 2026. Antagonistic activity of non-pathogenic Fusarium isolates against the soil-borne pathogen Rhizoctonia solani. *South Asian Journal of Research in Microbiology.* 20(4):14–24. doi:10.9734/sajrm/2026/v20i4497.

Izidoro-Morimitsu SC, Knob A, Matos CK, Faria CMDR, Kawakami J. 2026. Native Trichoderma spp. as biocontrol agents against common beans anthracnose. *Journal of Plant Diseases and Protection*. 133(3):1–18. doi:10.1007/s41348-026-01262-x.

Jačka L, Pavlásek J, Kalibová J, Bašta P, Kovář M, Kuráž V. 2018. The layering of a mountain podzol can strongly affect the distribution of infiltrated water in the soil profile. *Journal of Hydrology and Hydromechanics*. 66(3):348–356. doi:10.2478/johh-2018-0014.

James TY, Lee M, Van Diepen LTA. 2011. A single mating-type locus composed of homeodomain genes promotes nuclear migration and heterokaryosis in the white-rot fungus Phanerochaete chrysosporium. *Eukaryotic Cell*. 10(2):249–261. doi:10.1128/EC.00212-10.

Jamil A, Arzam TS, Mattola PI. 2025. Eksplorasi dan identifikasi keberadaan cendawan Trichoderma sp. dari pelapukan batang bawah sagu (Metroxylon sagu Rottb.). *Jurnal TABARO*. 9(1):18–26.

Jha P, Kaur T, Chhabra I, Panja A, Paul S, Kumar V, Malik T. 2023. Endophytic fungi: Hidden treasure chest of antimicrobial metabolites interrelationship of endophytes and metabolites. *Frontiers in Microbiology*. 14:1227830. doi:10.3389/fmicb.2023.1227830.

Judijanto L. 2026. Addressing Ganoderma disease in oil palm plantations: a review of effective management strategies and implementation challenges. *European Journal of Ecology*, Biology and Agriculture. 3(2):76–97. doi:10.59324/ejeba.2026.3(2).06.

Jumpponen A, Trappe JM. 1998. Dark septate endophytes: A review of facultative biotrophic root-colonizing fungi. *New Phytologist*. 140(2):295–310. doi:10.1046/j.1469-8137.1998.00265.x.

Kaaniche F, Hamed A, Abdel-Razek AS, Wibberg D, Abdissa N, El Euch IZ, Allouche N, Mellouli L, Shaaban M, Sewald N. 2019. Bioactive secondary metabolites from new endophytic fungus Curvularia. sp isolated from Rauwolfia macrophylla. *PLOS ONE*. 14(6):1–12. doi:10.1371/journal.pone.0217627.

Karim A, Rahmiati R, Fauziah I. 2020. Isolasi dan uji antagonis Trichoderma terhadap Fusarium oxysporum secara in vitro. *Jurnal Biosains*. 6(1):18–22. doi:10.24114/jbio.v6i1.16839.

Karimzadeh S, Safaie N, Mojerlou S, Ebrahimi L. 2025. Identity and diversity of culturable endophytic fungi associated with Capparis spinosa L. in Iran. *Scientific Reports*. 15(1):41502. doi:10.1038/s41598-025-25257-0.

Kasno A, Subardja D. 2010. Soil Fertility and Nutrient Management on Spodosol for Oil Palm. *Agrivita : Journal of Agricultural Science, 32*, 285-292.

Khan RAA, Najeeb S, Hussain S, Xie B, Li Y. 2020. Bioactive secondary metabolites from Trichoderma spp. against phytopathogenic fungi. *Microorganisms*. 8(6):817. doi:10.3390/microorganisms8060817.

Khoo YW, Chong KP. 2023. Ganoderma boninense: General characteristics of pathogenicity and methods of control. *Frontiers in Plant Science*. 14:1–17. doi:10.3389/fpls.2023.1156869.

Kirkman ER, Hilton S, Sethuraman G, Elias DMO, Taylor A, Clarkson J, Soh AC, Bass D, Ooi GT, McNamara NP, Bending GD. 2022. Diversity and ecological guild analysis of the oil palm fungal microbiome across root, rhizosphere, and soil compartments. *Frontiers in Microbiology*. 13:1–15. doi:10.3389/fmicb.2022.792928.

Kok SM, Goh YK, Tung HJ, GoH KJ, Wong WC, Goh YK . 2013. In vitro growth of Ganoderma boninense isolates on novel palm extract medium and virulence on oil palm (Elaeis guineensis) seedlings. *Malaysian Journal of Microbiology*. 9(1):33–42. [https://doi.org/10.21161/mjm.45212].

Kubicek CP, Steindorff AS, Chenthamara K, Manganiello G, Henrissat B, Zhang J, Cai F, Kopchinskiy AG, Kubicek EM, Kuo A, Baroncelli R, Sarrocco S, Noronha EF, Vannacci G, Shen Q, Grigoriev IV, Druzhinina IS. 2019. Evolution and comparative genomics of the most common Trichoderma species. *BMC Genomics*. 20(1):1–24. doi:10.1186/s12864-019-5680-7.

Kües U, Nelson DR, Liu C, Yu G-J, Zhang J, Li J, Wang X.-C, Sun H. 2015. Genome analysis of medicinal Ganoderma spp. with plant-pathogenic and saprotrophic life-styles. *Phytochemistry*. 114:18–37. doi:10.1016/j.phytochem.2014.11.019.

Kulik T, Staniszewska P, Wiśniewski P, Treder Z, Przybylski M, Wrońska E, Maździarz M, Krawczyk K, Bilska K, Paukszto Ł, Olszewski J. 2025. In-depth comparison of commercial Trichoderma-based products: Integrative approaches to quantitative analysis, taxonomy and efficacy. *Frontiers in Microbiology*. 16:1–7. doi:10.3389/fmicb.2025.1646394.

Kurniawan R, Pinem MI, Lisnawati. 2017. Pengaruh pemberian cendawan endofit asal tanaman kelapa sawit terhadap pertumbuhan kelapa sawit pada tanah terinfeksi Ganoderma spp. *Jurnal Agroekoteknologi*. 5(2):462–468.

Kuswardani RA, Vajri IY, Nora. 2025. The endophytic fungi of palm oil from north Sumatera (Indonesia) and their potential as entomopathogens. *IOP*

Conference Series: Earth and Environmental Science. 1469(1):1–10. doi:10.1088/1755-1315/1469/1/012023.

Lee JA, Lee DJ, Choi Y-J. 2025. Paecilomyces formosus causing leaf and stem blight on Amaranthus hybridus in Korea. *Plant Disease*. 109(10):1. [https://doi.org/https://doi.org/10.1094/PDIS-04-25-0748-PDN] (https://www.google.com/search?q=https://doi.org/https://doi.org/10.1094/PDIS-04-25-0748-PDN).

Leenaars JGB, Claessens L, Heuvelink GBM, Hengl T, Ruiperez González M, Van Bussel LGJ, Guilpart N, Yang H, Cassman KG. 2018. Mapping rootable depth and root zone plant-available water holding capacity of the soil of sub-Saharan Africa. *Geoderma*. 324:18–36. doi:10.1016/j.geoderma.2018.02.046.

Leiva S, Oliva M, Hernández E, Chuquibala B, Rubio K, García F, Torres De La Cruz M. 2020. Assessment of the potential of Trichoderma spp. strains native to Bagua (Amazonas, Peru) in the biocontrol of frosty pod rot (Moniliophthora roreri). *Agronomy*. 10(9):1376. doi:10.3390/agronomy10091376.

Leslie JF, Summerell BA. 2006. The Fusarium Laboratory Manual (1 ed.). Blackwell publishing.

Li Z, He F, Gai X, Zhu H, He S, Xuan YH, Bai L. 2025. The growth, development and infection process of the plant pathogen Fusarium. *Plant Signaling & Behavior*. 20(1):1–10. httpsdoi.org/10.1080/15592324.2025.2573097.

Liao C, Doilom M, Jeewon R, Hyde KD, Manawasinghe IS, Chethana KWT, Balasuriya A, Thakshila SAD, Luo M, Mapook A, Htet ZH, Koodalugodaarachchi V, Wijekoon N, Saxena RK, Senanayake IC, Kularathnage ND, Alrefaei AF, Dong W. 2025. Challenges and update on fungal endophytes: Classification, definition, diversity, ecology, evolution and functions. *Fungal Diversity*. 131(1):301–367. doi:10.1007/s13225-025-00550-5.

Liu N, Jacquemyn H, Liu Q, Shao S-C, Ding G, Xing X. 2022. Effects of a dark septate fungal endophyte on the growth and physiological response of seedlings to drought in an epiphytic orchid. *Frontiers in Microbiology*. 13:961172. doi:10.3389/fmicb.2022.961172.

Liu Y, Wei X. 2021. Dark septate endophyte improves the drought-stress resistance of Ormosia hosiei seedlings by altering leaf morphology and photosynthetic characteristics. *Plant Ecology*. 222(7):761–771. doi:10.1007/s11258-021-01135-3.

Liu Z-J, Shan L-L, Chen X-F. 2024. Identification and growth-promoting effect of Paecilomyces lilacinus a biocontrol fungi for walnut rot disease. *PLOS ONE*. 19(12):e0314160. doi:10.1371/journal.pone.0314160.

Lopez DC, Zhu-Salzman K, Ek-Ramos MJ, Sword GA. 2014. The entomopathogenic fungal endophytes Purpureocillium lilacinum (formerly Paecilomyces lilacinus) and Beauveria bassiana negatively affect cotton aphid reproduction under both greenhouse and field conditions. *PLoS ONE*. 9(8):1–8. doi:10.1371/journal.pone.0103891.

Lopez RO, Chiocchio VM, Ruscitti MF, Taborda CP, Saparrat MCN. 2024. Towards a better understanding of melanins from dark septate endophytes (dses): Their variability, synthesis pathways and biological roles. *Journal of Soil*

Science and Plant Nutrition. 24(2):1650–1664. doi:10.1007/s42729-024-01693-1.

Lundström US, Van Breemen N, Bain DC, Van Hees PAW, Giesler R, Gustafsson JP, Ilvesniemi H, Karltun E, Melkerud P-A, Olsson M, Riise G, Wahlberg O, Bergelin A, Bishop K, Finlay R, Jongmans AG, Magnusson T, Mannerkoski H, Nordgren A, Tau Strand L. 2000. Advances in understanding the podzolization process resulting from a multidisciplinary study of three coniferous forest soils in the Nordic Countries. *Geoderma*. 94(2–4):335–353. doi:10.1016/S0016-7061(99)00077-4.

Luo W, Zai X, Sun J, Li D, Li Y, Li G, Wei G, Chen W. 2021. Coupling root diameter with rooting depth to reveal the heterogeneous assembly of root-associated bacterial communities in soybean. *Frontiers in Microbiology*. 12:1–13. doi:10.3389/fmicb.2021.783563.

Lutfia A, Rupaedah B, Hartanto A. 2024. Antifungal potential of volatiles produced by Aspergillus neoniger f14 against Ganoderma boninense. *IOP Conference Series: Earth and Environmental Science*. 1352(1):1–7. doi:10.1088/1755-1315/1352/1/012081.

Ma Y, Zhang Y, Yang G, Shao Y, Ma X, Wang H. 2026. Study on dark septate endophytic (dse) fungi and soil nutrients of Ulmus pumila L. in sandy land in eastern Inner Mongolia. *Frontiers in Microbiology*. 17:1782229. doi:10.3389/fmicb.2026.1782229.

Malicka M, Magurno F, Piotrowska-Seget Z. 2022. Plant association with dark septate endophytes: When the going gets tough (and stressful), the tough fungi get going. *Chemosphere*. 292:134830. doi:10.1016/j.chemosphere.2022.134830.

Manalu JN, Soekarno BPW, Tondok ET, Surono S. 2020. Isolation and capability of dark septate endophyte against mancozeb fungicide. *Jurnal Ilmu Pertanian Indonesia*. 25(2):193–198. doi:10.18343/jipi.25.2.193.

Manzoni YB, Joly P, Brutel A, Gerin F, Soudière O, Langin T, Prigent-Combaret C. 2019. Does in vitro selection of biocontrol agents guarantee success in planta? a study case of wheat protection against fusarium seedling blight by soil bacteria. *PLOS ONE*. 14(12):1–18. doi:10.1371/journal.pone.0225655.

Mariani M, Surono S, Marhani M, Mirsodi M, Rosdayanti H, Lestari MA, Sukmawati D, Sriherwanto C. 2024. Utilization of dark septate endophytes (dse) to control pathogens causing diseases in various cultivated plants: a review. *Egyptian Journal of Biological Pest Control*. 34(1):1–9. doi:10.1186/s41938-024-00832-1.

Martinez P, Buurman P, Do Nascimento DL, Almquist V, Vidal-Torrado P. 2021. Substantial changes in podzol morphology after tree-roots modify soil porosity and hydrology in a tropical coastal rainforest. *Plant and Soil*. 463(1–2):77–95. doi:10.1007/s11104-021-04896-y.

Martínez-Soto D, Yu H, Allen KS, Ma L.-J. 2023. Differential colonization of the plant vasculature between endophytic versus pathogenic Fusarium oxysporum strains. *Molecular Plant-Microbe Interactions®*. 36(1):4–13. doi:10.1094/MPMI-08-22-0166-SC.

Massimo NC, Nandi Devan MM, Arendt KR, Wilch MH, Riddle JM, Furr SH, Steen C, U'Ren JM, Sandberg DC, Arnold AE. 2015. Fungal endophytes in aboveground tissues of desert plants: infrequent in culture, but highly

diverse and distinctive symbionts. *Microbial Ecology*. 70(1):61–76. doi:10.1007/s00248-014-0563-6.

Materechera SA. 2018. Soil properties and subsoil constraints of urban and peri-urban agriculture within Mahikeng city in the North West Province (South Africa). *Journal of Soils and Sediments*. 18(2):494–505. doi:10.1007/s11368-016-1569-0.

Metin B, Findley K, Heitman J. 2010. The mating type locus (mat) and sexual reproduction of Cryptococcus heveanensis: insights into the evolution of sex and sex-determining chromosomal regions in fungi. *PLoS Genetics*. 6(5):1–19. doi:10.1371/journal.pgen.1000961.

Midot F, Lau SYL, Wong WC, Tung HJ, Yap ML, Lo ML, Jee MS, Dom SP, Melling L. 2019. Genetic diversity and demographic history of Ganoderma boninense in oil palm plantations of Sarawak, Malaysia inferred from its regions. *Microorganisms*. 7(10):464. doi:10.3390/microorganisms7100464.

Moens C, Dondeyne S, Panagea I, Smolders E. 2022. Depth profile of colloidal iron in the pore water of an Albic Podzol. *European Journal of Soil Science*. 73(5):e13305. doi:10.1111/ejss.13305.

Moghaddam HMS, Safaie N, Tedersoo L, Hagh-Doust N. 2021. Diversity, community composition, and bioactivity of cultivable fungal endophytes in saline and dry soils in deserts. *Fungal Ecology*. 49:101019. doi:10.1016/j.funeco.2020.101019.

Mohanta TK, Mohanta N, Parida P, Panda SK, Ponpandian LN, Bae H. 2016. Genome-wide identification of mitogen-activated protein kinase gene family across fungal lineage shows presence of novel and diverse activation loop motifs. *PLOS ONE*. 11(2):e0149861. doi:10.1371/journal.pone.0149861.

Monica SS, Rajanikanth P, Duraimurugan P, Basha SA, Chary DS. 2024. Characterization of endophytic entomopathogenic fungal isolates: growth dynamics, viability, density, and morphological attributes. *Journal of Scientific Research and Reports*. 30(7):74–81. doi:10.9734/jsrr/2024/v30i72124.

Morrow CA, Fraser JA. 2009. Sexual reproduction and dimorphism in the pathogenic basidiomycetes. *FEMS Yeast Research*. 9(2):161–177. doi:10.1111/j.1567-1364.2008.00475.x.

Mu'arif IA, Fitriana Y, Suharjo R, Swibawa IG. 2024. Pengaruh modifikasi media s terhadap produksi spora, viabilitas, dan patogenisitas jamur agensia hayati. *Jurnal Proteksi Agrikultura*. 1(1):34–45. doi:10.23960/jpa.1134-45.

Mulawarman M, Aziz HA, Rizky D, Tampubolon DE, Ramadhani CD. 2025. Potensi agen hayati Trichoderma spp. dalam mengendalikan Ganoderma boninense penyebab busuk pangkal batang kelapa sawit, editor. Prosiding Seminar Nasional Lahan Suboptimal ke-13 Tahun 2025. Kongres dan Seminar Nasional; 2025 Sep 30; Palembang, Indonesia. Palembang: hlm 425–435.

Muljowati JS, Oedjijono O, Dewi RS, Mariana A, Chemeltorit P. 2025. Exploration and morphological characterization of Trichoderma spp from organic waste at tpst Rempoah-Baturraden, Banyumas Regency. *E3S Web of Conferences*. 609:1–3. doi:10.1051/e3sconf/202560901003.

Mutmainnah M, Suhaeni S, Masluki M. 2024. Eksplorasi cendawan endofit asal tanaman sagu (Metroxylon sagu Rottb.) dan potensinya sebagai pemicu perkecambahan benih padi. *PLANTKLOPEDIA: Jurnal Sains dan Teknologi Pertanian*. 4(2):83–94. [https://doi.org/10.55678/plantklopedia.v4i2.1646].

Nandini B, Puttaswamy H, Saini RK, Prakash HS, Geetha N. 2021. Trichovariability in rhizosphere soil samples and their biocontrol potential against downy mildew pathogen in pearl millet. *Scientific Reports*. 11(1):1–15. doi:10.1038/s41598-021-89061-2.

Nguyen TTT, Paul NC, Lee HB. 2016. Characterization of Paecilomyces variotii and Talaromyces amestolkiae in Korea based on the morphological characteristics and multigene phylogenetic analyses. *Mycobiology*. 44(4):248–259. doi:10.5941/MYCO.2016.44.4.248.

Nuanlaong S, Wuthisuthimathavee S, Suraninpong P. 2021. Lysigenous aerenchyma formation: Responsiveness to waterlogging in oil palm roots. *Biologia Plantarum*. 65:167–176. doi:10.32615/bp.2021.002.

Nurfitra, Kasim NN, Sukmawati S, Annisa NW, Alim N. 2025. Uji kemampuan cendawan agens hayati potensial terhadap perkembangan patogen Fusarium oxysporum secara in vitro, editor. Prosiding Seminar Nasional "Peran Perlindungan Tanaman dalam Mendukung Program Swasembada Pangan". Kongres dan Seminar Nasional. hlm 87–98. doi:10.5994/semnas.05.07.2025.87.

Nurfitri R, Hardini J, Muksin IK. 2024. Identifikasi jamur endofit yang berasosiasi dengan daun jeruk limau Citrus x amblycarpa (Hassk.) ochse di kebun kalpataru, Denpasar, Bali. *SIMBIOSIS XII*. (1):100–107. [https://doi.org/https://doi.org/10.24843/JSIMBIOSIS. 2024.v12.i01.p11.

Olivera PD, Sikharulidze Z, Dumbadze R, Szabo LJ, Newcomb M, Natsarishvili K, Rouse MN, Luster DG, Jin Y. 2019. Presence of a sexual population of Puccinia graminis f. sp. tritici in Georgia provides a hotspot for genotypic and phenotypic diversity. *Phytopathology®*. 109(12):2152–2160. doi:10.1094/PHYTO-06-19-0186-R.

Oono R, Black D, Slessarev E, Sickler B, Strom A, Apigo A. 2020. Species diversity of fungal endophytes across a stress gradient for plants. *New Phytologist*. 228(1):210–225. doi:10.1111/nph.16709.

Oszust K, Cybulska J, Frąc M. 2020. How do Trichoderma genus fungi win a nutritional competition battle against soft fruit pathogens? a report on niche overlap nutritional potentiates. *International Journal of Molecular Sciences*. 21(12):4235. doi:10.3390/ijms21124235.

Pakaya MS, Uno WZ, Papeo DRP, Moo R. 2022. Isolasi dan karakterisasi jamur endofit lamun (Thalassia hemprichii) dari kawasan Teluk Tomini. *Journal Syifa Sciences and Clinical Research* (*JSSCR*). 4(3):519–524. [https://doi.org/https://doi.org/10.37311/jsscr.v4i1.45678].

Paramananthan S. 2007. Managing sandy soils of the tropics for oil palm cultivation. *International Conference on Oil Palm and the Environment*. Bali. p. 1–17.

Pathak P, Rai VK, Can H, Singh SK, Kumar D, Bhardwaj N, Roychowdhury R, De Azevedo LCB, Kaushalendra, Verma H, Kumar A. 2022. Plant-endophyte

interaction during biotic stress management. *Plants*. 11(17):2203. doi:10.3390/plants11172203.

Perincherry L, Urbaniak M, Pawłowicz I, Kotowska K, Waśkiewicz A, Stępień Ł. 2021. Dynamics of Fusarium mycotoxins and lytic enzymes during pea plants' infection. *International Journal of Molecular Sciences*. 22(18):9888. doi:10.3390/ijms22189888.

Permadi MA, Mahmud A, Mukhlis M, Lubis RA, Faisal MT. 2020. Studi karakterisasi fisiologi cendawan entomopatogen Metarhizium spp dari berbagai rizosfer tanaman hortikultura Kota Padangsidimpuan. *EKSAKTA : Jurnal Penelitian dan Pembelajaran MIPA.* 5(2):166. doi:10.31604/eksakta.v5i2.166-171.

Pfordt A, Schiwek S, Karlovsky P, Von Tiedemann A. 2020. Trichoderma afroharzianum ear rot–a new disease on maize in Europe. *Frontiers in Agronomy*. 2:1–7. doi:10.3389/fagro.2020.547758.

Pilotti CA, Gorea EA, Bonneau L. 2018. Basidiospores as sources of inoculum in the spread of Ganoderma boninense in oil palm plantations in Papua New Guinea. *Plant Pathology*. 67(9):1841–1849. doi:10.1111/ppa.12915.

Pilotti CA, Sanderson FR, Aitken EAB. 2002. Sexuality and interactions of monokaryotic and dikaryotic mycelia of Ganoderma boninense. *Mycological Research*. 106(11):1315–1322. doi:10.1017/S0953756202006755.

Pilotti CA, Sanderson FR, Aitken EAB. 2003. Genetic structure of a population of Ganoderma boninense on oil palm. *Plant Pathology*. 52(4):455–463. doi:10.1046/j.1365-3059.2003.00870.x.

Pimentel MF, Arnão E, Warner AJ, Subedi A, Rocha LF, Srour A, Bond JP, Fakhoury AM. 2020. Trichoderma isolates inhibit Fusarium virguliforme growth, reduce root rot, and induce defense-related genes on soybean seedlings. *Plant Disease*. 104(7):1949–1959. doi:10.1094/PDIS-08-19-1676-RE.

Priwiratama H, Prasetyo AE, Susanto A. 2020. Incidence of basal stem rot disease of oil palm in converted planting areas and control treatments. *IOP Conference Series: Earth and Environmental Science*. 468:012036. doi:10.1088/1755-1315/468/1/012036.

Purba FN, Nawangsih AA, Surono S, Tondok ET, Syabana MA, Lestari MA. 2023. Inhibition of dark septate endophyte fungus metabolites against oil palm basal stem rot disease caused by Ganoderma boninense. *Research Square*. :1–26. doi:10.21203/rs.3.rs-3795384/v1.

Putra SS, Susanti Y, Alfiah LN. 2024. Uji antagonisme cendawan Trichoderma sp terhadap Ganoderma Boninense patogen pada tanaman kelapa sawit secara in vitro. *SINTA Journal (Science, Technology, and Agricultural)*. 5(1):125–134. doi:10.37638/sinta.5.1.125-134.

Rahayu G, Surono, Octaviani DA. 2021. Antagonistic capacity of dark septate endophytes (dse) against Ganoderma boninense from oil palm (Elaeis guinensis Jacq.). *IOP Conference Series: Earth and Environmental Science*. 948(1):012074. doi:10.1088/1755-1315/948/1/012074.

Ramatsitsi MN, Khosa MC, Mashamaite CV, Ramachela K. 2023. In vitro assessment of eight selected indigenous fungal isolates tolerance to various

abiotic stresses and their effects on seed germination. *Current Microbiology*. 80(12):386. doi:10.1007/s00284-023-03507-6.

Ramatsitsi N, Manyevere A. 2025. Roles of endophytic fungi in plant resilience under abiotic stress: a mechanistic review with implications for climate-smart agriculture. *Plant Signaling & Behavior.* 20(1):1–15. doi:10.1080/15592324.2025.2578712.

Ramzan N, Noreen N, Shahzad S. 2014. Inhibition of in vitro growth of soil-borne pathogens by compost-inhabiting indigenous bacteria and fungi. *Pakistan Journal of Botany*. 46(3):1093–1099.

Reis JBA D, Lorenzi AS, Vale HMM D. 2022. Methods used for the study of endophytic fungi: a review on methodologies and challenges, and associated tips. *Archives of Microbiology*. 204(11):675. doi:10.1007/s00203-022-03283-0.

Ristiari NPN, Julyasih KSM, Suryanti IAP. 2018. Isolasi dan identifikasi jamur mikroskopis pada rizosfer tanaman jeruk siam (Citrus nobilis Lour.) di Kecamatan Kintamani, Bali. *Jurnal Pendidikan Biologi Undiksha*. 6(1):1–19. [https://doi.org/https://doi.org/10.23887/jjpb.v6i1.21921].

Rodrigo S, Santamaria O, Halecker S, Lledó S, Stadler M. 2017. Antagonism between Byssochlamys spectabilis (anamorph Paecilomyces variotii) and plant pathogens: involvement of the bioactive compounds produced by the endophyte. *Annals of Applied Biology.* 171(3):464–476. doi:10.1111/aab.12388.

Rodriguez RJ, White Jr JF, Arnold AE, Redman RS. 2009. Fungal endophytes: Diversity and functional roles. *New Phytologist*. 182(2):314–330. doi:10.1111/j.1469-8137.2009.02773.x.

Rostami T, Jamali S. 2022. Diseases caused by fungi and fungus-like organisms. *Plant Disease*. 106(9):1. [https://doi.org/https://doi.org/10.1094/PDIS-12-21-2812-PDN].

Rostami T, Jamali S. 2023. Characterization, pathogenicity and host range studies of Paecilomyces formosus associated with dieback of christ's thorn trees (Paliurus spina-christi Mill.) in Iran. *Forest Pathology*. 53(1):e12790. doi:10.1111/efp.12790.

Rupaedah B, Eko Prasetyo A, Hidayat F, Asiani N, Wahid A, Nurlaila, Lutfia A. 2024. Evaluation of microbial biocontrol agents for Ganoderma boninense management in oil palm nurseries. *Journal of the Saudi Society of Agricultural Sciences*. 23(3):236–244. doi:10.1016/j.jssas.2023.12.001.

Ryadin AR, Janz D, Schneider D, Tjoa A, Irawan B, Daniel R, Polle A. 2022. Early effects of fertilizer and herbicide reduction on root-associated biota in oil palm plantations. *Agronomy*. 12(1):199. doi:10.3390/agronomy12010199.

Safitri L. 2021. Simulation of oil palm root water uptake by using 2d numerical soilwater flow model. *JTEP Jurnal Keteknikan Pertanian*. 9(1):31–40. doi:10.19028/jtep.09.1.31-40.

Sajeena A, Nair DS, Sreepavan K. 2020. Non-pathogenic Fusarium oxysporum as a biocontrol agent. *Indian Phytopathology*. 73(2):177–183. doi:10.1007/s42360-020-00226-x.

Salsabila A, Ramdan EP, Asnur P, Hidayat H. 2022. Survei penyakit busuk pangkal batang kelapa sawit di kebun Cikasungka, PT Perkebunan Nusantara viii,

Bogor. *Agrosains : Jurnal Penelitian Agronomi.* 24(1):1–5. doi:10.20961/agsjpa.v24i1.56720.

Saputra R, Puspita F, Hamzah A, Irfandri, Suryani E. 2022. Morphological characterization of Trichoderma spp. isolated from the oil palm rhizosphere in peat soils and its potential as a biological control for Ganoderma boninense in vitro. *Jurnal Ilmiah Pertanian*. 19(2). doi:10.31849/jip.v19i2.9405.

Sevillano-Caño J, Núñez-Cano J, Prieto P, Trapero A, Sánchez-Rodríguez AR, Agustí-Brisach C. 2024. The endophytic role and growth-promoting ability of the nonpathogenic strain Fusarium oxysporum fo12 in herbaceous hosts. *Scientia Horticulturae*. 332:113220. doi:10.1016/j.scienta.2024.113220.

Shahzad R, Khan AL, Bilal S, Asaf S, Lee I-J. 2017. Plant growth-promoting endophytic bacteria versus pathogenic infections: an example of Bacillus amyloliquefaciens rwL-1 and Fusarium oxysporum f. sp. lycopersici in tomato. *PeerJ*. 5:e3107. doi:10.7717/peerj.3107.

Sharma A, Sinharoy S, Bisht NC. 2023. The mysterious non-arbuscular mycorrhizal status of Brassicaceae species. *Environmental Microbiology*. 25(5):917–930. doi:10.1111/1462-2920.16339.

Shi X, Zhou Y, Yang J, Mei D, Xu L, Wang S, Laborda P. 2025. Biocontrol mechanisms of Paecilomyces spp . for the management of fungal plant diseases: a review. *Pest Management Science*. 81(8):4200–4219. doi:10.1002/ps.8872.

Shin S, Son H. 2026. Molecular strategies and regulatory networks in the early infection stages of plant pathogenic Fusarium species. *The Plant Pathology Journal*. 42(1):18–36. doi:10.5423/PPJ.RW.09.2025.0131.

Sirait DDN, Tobing MC, Safni I. 2023. Keragaman genetik cendawan entomopatogen Metarhizium anisopliae (Metsch.) berasal dari tanah pertanaman kelapa sawit berdasarkan penanda RAPD. *Jurnal Entomologi Indonesia*. 20(1):22. doi:10.5994/jei.20.1.22.

Siregar LSA, Vajri IY. 2025. Eksplorasi dan seleksi cendawan endofit pada tanaman kelapa sawit (Elais Quineensis Jacq) yang berpotensi sebagai entomopatogen. *Jurnal Ilmiah Pertanian (JIPERTA)*. 7(1):160–168. doi:10.31289/jiperta.v7i1.5998.

Smirnova MA, Plotnikova OO, Bardashov DR, Terskaya EV. 2024. Genetic features of forest-steppe soils with albic horizon: a case study in the Oksko-Don Lowland. Vestnik Tomskogo gosudarstvennogo universiteta. *Biologiya*. (66):22–41. doi:10.17223/19988591/66/2.

Sukarman S, Las I, Noor M, Tafakresnanto C. 2021. *Pengelolaan lahan berkarakter khusus*. IAARD Press, Badan Penelitian dan Pengembangan Pertanian.

Sukarman S, Saidy AR, Rusmayadi G, Adriani DE, Primananda S, Suwardi S, Wirianata H, Fitriana CDA. 2022. Effect of water deficit of Ultisols, Entisols, Spodosols, and Histosols on oil palm productivity in Central Kalimantan. *Sains Tanah – Journal of Soil Science and Agroclimatology*. 19(2):180–191. doi:10.20961/stjssa.v19i2.65455.

Sukmawati D, Supiyani AS, Nur Afifah Z, Balqis MB, Fikriyyah NN, Bimo Setiarto RH, Sari DP. 2024. Kemampuan kapang dark septate endophyte dari akar tanaman aren dalam menghambat Ganoderma sp. *Jurnal Ilmu Pertanian Indonesia*. 29(2):278–286. doi:10.18343/jipi.29.2.278.

Sukmawati D, Thaharah AK, Komariah E, Herawati H, Theodora V, Supiyani A, Al Husna SN, Ratnaningtyas NI, El Enshasy H, Dailin DJ. 2024. Isolation of dark septate endophyte (dse) from ferns (Pteris Vittata) roots. *KnE Life Sciences*. :97–106. doi:10.18502/kls.v8i1.15403.

Sulaiman AA, Djufry F, Syamsuri P, Setiyanto A, Bahrun AH, Hendrawati D, Ridha MF . 2024. Sawit Indonesia Dalam Dinamika Pasar Dunia (1 ed.). Bogor (ID): Pertanian Pr. [suspicious link removed]

Sullam KE, Musa T. 2021. Ecological dynamics and microbial treatments against oomycete plant pathogens. *Plants*. 10(12):2697. doi:10.3390/plants10122697.

Sun S, Heitman J . 2011. Is sex necessary? *BMC Bioloogy incorporating Journal of Biology*. 9(56):1–4. doi:10.1186/1741-7007-9-56.

Surono, Narisawa K. 2017. The dark septate endophytic fungus Phialocephala fortinii is a potential decomposer of soil organic compounds and a promoter of Asparagus officinalis growth. *Fungal Ecology*. 28:1–10. doi:10.1016/j.funeco.2017.04.001.

Surono, Yulianti, Putri KP, Sudrajat DJ, Nugraheni YMMA, Sriherwanto C, Syabana MA, Widyani N, Yuniarti N, Zanzibar M, Rustam E, Sianturi RUD. 2024. Dark septate endophytes symbiosis in Falcataria moluccana and its potency for forest and landscape restoration. *Global Journal of Environmental Science and Management (GJESM)*. 10:19–36. doi:10.22034/gjesm.2024.10.SI.02.

Surya AH, Ali M, Venita Y. 2022. Seleksi jamur endofit tanaman nipah (Nypa fruticans Wurmb.) dan uji antagonisme terhadap Ganoderma boninense pat. penyebab penyakit busuk pangkal batang kelapa sawit serta identifikasinya. *Lumbung*. 21(2):63–84. doi:10.32530/lumbung.v21i2.520.

Swathi M, Krishna Naik L. 2019. Biocontrol potential of non-pathogenic Fusarium isolates against the fusarium wilt of chrysanthemum. *International Journal of Current Microbiology and Applied Sciences*. 8(02):2532–2538. doi:10.20546/ijcmas.2019.802.295.

Tan WJ, Thanh TAV, Rafael ES, Chen YS, Yeo FKS. 2021. Morphological and molecular characterization of Fusarium spp. associated with fusarium wilt disease of Piper nigrum L. in northwestern region of Sarawak. *Malaysian Journal of Microbiology*. 17(2):165–177. doi:10.21161/mjm.200938.

Tanggono AS, Chen L, Zhang Y, Zhang S, Shi X, Chen X, Zhu S, Wang S, Laborda P. 2025. Paecilomyces maximus dpA synthase gene, pmdpa , is involved in colonization and biocontrol efficacy against soybean anthracnose. *Pest Management Science*. 81(9):5993–6006. doi:10.1002/ps.8952.

Thongkamngam T, Jaenaksorn T. 2017. Fusarium oxysporum (F221-b) as biocontrol agent against plant pathogenic fungi in vitro and in hydroponics. *Plant Protection Science*. 53(2):85–95. doi:10.17221/59/2016-PPS.

Tyśkiewicz R, Nowak A, Ozimek E, Jaroszuk-Ściseł J. 2022. Trichoderma: The current status of its application in agriculture for the biocontrol of fungal phytopathogens and stimulation of plant growth. *International Journal of Molecular Sciences*. 23(4):2329. doi:10.3390/ijms23042329.

Ullah Q, Haider W, Waqar M, Awlqadr FH, Nur Athiqah MY, Rafiq I, Khomphet T, Islam SS, Ageru TA. 2026. Molecular and diagnostic advances for basal

stem rot management in oil palm. *Biological Control*. 214:105992. doi:10.1016/j.biocontrol.2026.105992.

Utami MA, Nasution RA, Mawaddah FA, Aulia R. 2024. Pengendalian jamur Ganoderma dengan metode perbanyakan jamur Trichoderma pada pembibitan kelapa sawit di PT PP London Sumatra Bah Lias Research Station. *El-Mujtama: Jurnal Pengabdian Masyarakat.* 4(1):145–150. doi:10.47467/elmujtama.v4i1.462.

Veroneca T, Pamekas T, Sariasih Y. 2024. Keragaman tubuh buah Ganoderma spp. pada kelapa sawit di Kabupaten Bengkulu Utara. Di dalam, editor. SEMINAR NASIONAL PERLINDUNGAN TANAMAN (SNPT). Kongres dan Seminar Nasional. hlm 290–302. [https://semnas.bpfp-unib.com/index.php/perlintan]

Wang X, Zhang Y, Li J, Ding Y, Ma X, Zhang P, Liu H, Wei J, Bao Y. 2025. Diversity and functional insights into endophytic fungi in halophytes from west ordos desert ecosystems. *Journal of Fungi*. 11(1):30. doi:10.3390/jof11010030.

Wangi NNPS, Sudiarta IP, Yuliadhi KA. 2023. Metode isolasi jamur patogen serangga (Aschersonia Placenta) dengan menggunakan media potato sucrose agar (psa). *AGRICA: Journal of Sustainable Dryland Agriculture*. 16(1):19–27. doi:10.37478/agr.v16i1.2593.

Watanabe T . 2010. Pictorial atlas of soil and seed fungi: Morphologies of cultured fungi and key to species (3 ed.). *CRC press*.

Wati VR, Yafizham, Fuskhah E. 2020. Pengaruh solarisasi tanah dan pemberian dosis Trichoderma harzianum dalam pengendalian penyakit layu fusarium pada cabai (Capsicum annum L.). *Journal Agro Complex*. 4(1):40–49. [https://doi.org/https://doi.org/10.14710/joac.4.1.40-49](https://www.google.com/search?q=https://doi.org/https://doi.org/10.14710/joac.4.1.40-49).

Weindorf DC, Zhu Y, McDaniel P, Valerio M, Lynn L, Michaelson G, Clark M, Ping CL. 2012. Characterizing soils via portable x-ray fluorescence spectrometer: 2. spodic and albic horizons. *Geoderma*. 189–190:268–277. doi:10.1016/j.geoderma.2012.06.034.

Wen J, Okyere SK, Wang S, Wang J, Xie L, Ran Y, Hu Y. 2022. Endophytic fungi: An effective alternative source of plant-derived bioactive compounds for pharmacological studies. *Journal of Fungi*. 8(2):1–45. doi:10.3390/jof8020205.

Whitmore TC. 1984. *Tropical rain forests of the Far East*. 2nd ed. Oxford: Clarendon Press.

Widiastuti H, Permatasari GW, Taniwiryono D. 2023. Endophytic microbe in stem tissue of oil palm colonized by *Ganoderma* sp. *IOP Conference Series: Earth and Environmental Science*. 1243(1):012019. doi:10.1088/1755-1315/1243/1/012019.

Woittiez LS, Van Wijk MT, Slingerland M, Van Noordwijk M, Giller KE. 2017. Yield gaps in oil palm: a quantitative review of contributing factors. *European Journal of Agronomy*. 83:57–77. doi:10.1016/j.eja.2016.11.002.

Wong WC, Tung HJ, Fadhilah MN, Midot F, Lau SYL, Melling L, Astari S, Hadziabdic Đ, Trigiano RN, Goh KJ, Goh YK. 2021. Genetic diversity and gene flow amongst admixed populations of Ganoderma boninense , causal

agent of basal stem rot in african oil palm (Elaeis guineensis Jacq.) in Sarawak (Malaysia), Peninsular Malaysia, and Sumatra (Indonesia). *Mycologia*. :1–16. doi:10.1080/00275514.2021.1884815.

Wu D, He X, Jiang L, Li W, Wang H, Lv G. 2024. Root exudates facilitate the regulation of soil microbial community function in the genus *Haloxylon*. *Frontiers in Plant Science*. 15:1461893. doi:10.3389/fpls.2024.1461893.

Wu Y, Zhao C, Farmer J, Sun J. 2015. Effects of bio-organic fertilizer on pepper growth and Fusarium wilt biocontrol. *Scientia Horticulturae*. 193:114–120. doi:10.1016/j.scienta.2015.06.039.

Yadav AN. 2018. Biodiversity and biotechnological applications of host-specific endophytic fungi for sustainable agriculture and allied sectors. *Acta Scientific Microbiology*. 1(5):1–5. doi:10.31080/ASMI.2018.01.0044.

Yuliani D, Soekarno BPW, Munif A, Surono S . 2020. Antagonism potency of dark septate endophytes against Pyricularia oryzae for improving health of rice plants. *Jurnal AGRO*. 7(2):134–147. doi:10.15575/9589.

Yulianti M, Harahap I, Elsie. 2021. Potensi cendawan endofit asal akar wangi (Vetiveria zizanioides L.) dalam menghambat pertumbuhan Ganoderma boninense. *Prosiding SainTeKes*. 2:252–259.

Yurnaliza, Aryantha INP, Esyanti RR, Susanto A. 2014. Antagonistic activity assessment of fungal endophytes from oil palm tissues against Ganoderma boninense pat. *Plant Pathology Journal*. 13(4):257–267. doi:10.3923/ppj.2014.257.267.

Zuo Y, Hu Q, Zhang K, He X. 2022. Host and tissue affiliations of culturable endophytic fungi associated with xerophytic plants in the desert region of Northwest China. *Agronomy*. 12(3):727. doi:10.3390/agronomy12030727.

Zuo Y, Li X, Yang J, Liu J, Zhao L, He X. 2021. Fungal endophytic community and diversity associated with desert shrubs driven by plant identity and organ differentiation in extremely arid desert ecosystem. Journal of Fungi. 7(7):578. doi:10.3390/jof7070578.